

An evaluation on four potential SLAs for West Greenland humpback whales

using the agreed evaluation and robustness trials

A. Brandão and D.S. Butterworth

MARAM (Marine Resources Assessment and Management Group)
 Department of Mathematics and Applied Mathematics
 University of Cape Town, Rondebosch 7701, South Africa

INTRODUCTION

This paper provides results from the application of the software developed by Andre Punt for the West humpback whale trials as agreed at the AWMP Intersessional Workshop (IWC, 2014) to four potential SLAs.

To facilitate comparison across different SLAs in an initial analysis only, a summary statistic developed by Brandão and Butterworth (2013) to reflect the improvement in the performance achieved by a candidate SLA compared to the extreme of a *Strike Limit = Need* approach was used to select the best performing SLA from a range of SLAs that were considered by Brandão and Butterworth (2013), two of which formed part of the ‘reference SLAs’ as given in IWC (2012). Variants of the selected SLA were then considered to address shortcomings in the performance of that SLA.

SLAs CONSIDERED

Four SLAs are considered in this paper. One of these form part of the ‘reference SLAs’ as given in IWC (2012) and is included here for a comprehensive description of the SLAs considered, while three others are variants of another one of these ‘reference SLAs’. A fifth SLA which sets the *Strike Limit* equal to need is also considered, but its primary use is to provide a baseline to which to compare the performances of the other SLAs and is referred to as SLA0.

SLA1: Interim SLA which sets the *Strike Limit* as the lesser of need and $0.02\hat{N}e^{-1.645CV}$
 where \hat{N} is the most recent estimate of abundance and CV is the coefficient of variation of \hat{N} .

SLA2: Weighted-average interim SLA which uses all the abundance estimates and replaces \hat{N} and CV in SLA1 by:

$$\hat{N} = \exp \left[\sum_i \frac{0.95^{t_i} \ln N_i}{CV_i^2} \right] \left/ \sum_i \frac{0.95^{t_i}}{CV_i^2} \right. \quad (1)$$

$$CV = \sqrt{\sum_i \frac{0.95^{2t_i}}{CV_i^2}} / \sum_i \frac{0.95^{t_i}}{CV_i^2} \quad (2)$$

where N_i is the i th estimate of abundance, CV_i is the coefficient of variation of N_i , and t_i is the time (in years) between when the i th estimate of abundance was obtained and the first year of the block for which a *Strike Limit* is needed. The downweighting factor which reduces the weight of earlier compared to more recent abundance estimates is 0.95.

SLA3: Variant of *SLA2* described above. This variant adjusts the 0.02 weight applied to \hat{N} as in *SLA1* by a function of the observed trend of the abundance indices, so that the *Strike Limit* is set as the lesser of need and $0.02f(\beta^*)\hat{N}e^{-1.645CV}$, where

$$f(\beta^*) = \alpha + (1-\alpha) \frac{1}{1+e^{(\beta^* - \bar{\beta})/\delta}},$$

where

$\beta^* = \hat{\beta} - \lambda s_{\hat{\beta}}$, where $\hat{\beta}$ is the negative of the slope of the log-linear regression applied to the abundance indices, $s_{\hat{\beta}}$ is the standard error of the slope coefficient and λ is a control parameter.

$\alpha, \bar{\beta}$, and δ are control parameters.

For this variant the following values are applied to the control parameters:

$\alpha=0.2, \bar{\beta}=0.005, \delta=\bar{\beta}/3$, and $\lambda=2$, which provide the largest change in depletion compared to *SLA2*. The function $f(\beta^*)$ is only calculated if there are more than three abundance indices, otherwise it is set to 1.

SLA4: Variant of *SLA3* described above. In this variant the control parameters are set to:

$\alpha=0.3, \bar{\beta}=0.02, \delta=\bar{\beta}/5$, and $\lambda=1$, which provide the least change in depletion compared to *SLA2*.

RESULTS AND DISCUSSION

Table 1 gives the lower 5%-ile D1, D10 and N9 statistics for the humpback trials for each of the four *SLAs* considered. *SLA2* performs well for all evaluation trials but not in a few of the robustness trials (those with a D10 value < 0.5 are highlighted in the Table) in terms of relative increase in population size are highlighted. Note that Appendix A gives details of all the trials and need envelopes considered. Appendix B gives all the results for the more important statistics as indicated in IWC 2014, for the four *SLAs*.

The *SLA* selected initially from a range of *SLAs* investigated by Brandão and Butterworth (2013) is *SLA2*. Table 1 reflects that the trials showing the poorest results in terms of the lower 5%-ile D10 statistic are associated with the lowest value of $MSYR_{1+}$ considered of 3% and a linear increase in M . The trial that considers an even lower $MSYR_{1+}$ of 1% combined with the need scenario D (see Appendix B), also shows a low 5%-ile D10 statistic value. The variants of this *SLA* considered were developed to try and improve on the relative increase in population size. This comes of course at the expense of meeting need satisfaction (Table 1).

ACKNOWLEDGMENT

We thank the IWC for financial support for this work, and Andre Punt for developing the code for the trials.

REFERENCE

- Branda, A. and Butterworth, D.S. 2013. An evaluation on four SLAs for West Greenland humpback and bowhead whales using the agreed evaluation and robustness trials. SC/65a/AWMP02.
- International Whaling Commission. 2012. Report of the Fourth AWMP Workshop on the Development of *SLAs* for the Greenlandic Hunts.
- International Whaling Commission. 2014. Report of the AWMP Intersessional Workshop on Developing *SLAs* for the Greenlandic Hunts.

Table 1. Lower 5%-ile values for final depletion (D1), average need satisfaction (N9) and relative increase of 1+ population size (D10) for West Greenland humpback whales. Results are shown for the four SLAs considered. For comparison, results setting catch equal need (SL0) are also given.

a) Evaluation Trials

	D1: Final depletion 1+ pop					N9: 5% Need satfn(100)					D10: Relative increase 1+ pop (5%)				
	SLA0	SLA1	SLA2	SLA3	SLA4	SLA0	SLA1	SLA2	SLA3	SLA4	SLA0	SLA1	SLA2	SLA3	SLA4
GH01AA	0.973	0.973	0.973	0.973	0.973	1.000	1.000	1.000	0.945	1.000	1.490	1.490	1.490	1.490	1.490
GH01AB	0.952	0.952	0.952	0.952	0.952	1.000	1.000	1.000	0.906	1.000	1.460	1.460	1.460	1.460	1.460
GH01AC	0.930	0.932	0.930	0.931	0.930	1.000	0.987	1.000	0.855	1.000	1.450	1.450	1.450	1.450	1.450
GH01AD	0.940	0.940	0.940	0.941	0.940	1.000	0.983	1.000	0.852	1.000	1.450	1.450	1.450	1.450	1.450
GH01BA	0.920	0.927	0.922	0.925	0.924	1.000	0.952	0.993	0.897	0.985	1.910	1.910	1.910	1.910	1.910
GH01BB	0.905	0.908	0.906	0.909	0.906	1.000	0.951	0.993	0.856	0.982	1.880	1.880	1.880	1.880	1.880
GH01BC	0.864	0.865	0.865	0.876	0.865	1.000	0.942	0.987	0.806	0.971	1.850	1.850	1.850	1.850	1.850
GH01BD	0.854	0.880	0.866	0.885	0.875	1.000	0.882	0.948	0.736	0.893	1.860	1.860	1.860	1.860	1.860
GH01CA	0.978	0.980	0.978	0.980	0.978	1.000	1.000	1.000	0.845	1.000	1.120	1.120	1.120	1.120	1.120
GH01CB	0.958	0.964	0.958	0.967	0.963	1.000	0.995	1.000	0.784	1.000	1.110	1.110	1.110	1.110	1.110
GH01CC	0.936	0.952	0.944	0.959	0.948	1.000	0.948	1.000	0.712	0.994	1.080	1.090	1.090	1.090	1.090
GH01CD	0.946	0.958	0.951	0.961	0.954	1.000	0.967	1.000	0.719	1.000	1.100	1.100	1.100	1.100	1.100
GH02AB	0.952	0.952	0.952	0.952	0.952	1.000	1.000	1.000	0.941	1.000	1.460	1.460	1.460	1.460	1.460
GH02AC	0.930	0.931	0.930	0.932	0.930	1.000	0.990	1.000	0.937	1.000	1.450	1.450	1.450	1.450	1.450
GH02AD	0.940	0.940	0.940	0.940	0.940	1.000	0.992	1.000	0.919	1.000	1.450	1.450	1.450	1.450	1.450
GH02BB	0.905	0.907	0.905	0.908	0.908	1.000	0.973	1.000	0.846	0.951	1.880	1.880	1.880	1.880	1.880
GH02BC	0.864	0.866	0.865	0.882	0.871	1.000	0.965	1.000	0.814	0.941	1.850	1.850	1.850	1.850	1.850
GH02BD	0.854	0.879	0.865	0.883	0.880	1.000	0.910	0.973	0.785	0.895	1.860	1.860	1.860	1.860	1.860
GH03AB	0.959	0.959	0.959	0.959	0.959	1.000	1.000	1.000	0.944	1.000	1.470	1.470	1.470	1.470	1.470
GH03AC	0.941	0.942	0.941	0.941	0.941	1.000	0.998	1.000	0.867	1.000	1.450	1.450	1.450	1.450	1.450
GH03BB	0.906	0.909	0.906	0.906	0.906	1.000	0.975	1.000	0.899	0.993	1.890	1.890	1.890	1.890	1.890
GH03BC	0.869	0.874	0.874	0.877	0.874	1.000	0.968	0.994	0.871	0.985	1.860	1.860	1.860	1.860	1.860
GH04AB	0.958	0.958	0.958	0.963	0.958	1.000	1.000	1.000	0.922	1.000	1.350	1.350	1.350	1.350	1.350
GH04AC	0.938	0.946	0.938	0.951	0.938	1.000	0.987	1.000	0.868	1.000	1.320	1.340	1.320	1.370	1.330
GH04AD	0.948	0.950	0.948	0.956	0.948	1.000	0.967	1.000	0.874	0.998	1.330	1.350	1.330	1.380	1.330
GH04BB	0.899	0.913	0.899	0.932	0.908	1.000	0.957	0.998	0.887	0.989	1.710	1.710	1.710	1.710	1.710
GH04BC	0.853	0.896	0.894	0.902	0.901	1.000	0.944	0.994	0.850	0.984	1.620	1.660	1.630	1.660	1.650
GH04BD	0.867	0.900	0.894	0.914	0.896	1.000	0.922	0.964	0.803	0.947	1.660	1.680	1.660	1.680	1.670
GH05AB	0.934	0.947	0.934	0.955	0.947	1.000	0.978	1.000	0.746	1.000	1.500	1.500	1.500	1.500	1.500
GH05AC	0.901	0.933	0.922	0.947	0.925	1.000	0.964	1.000	0.709	0.993	1.490	1.490	1.490	1.490	1.490
GH05AD	0.916	0.939	0.926	0.947	0.934	1.000	0.936	0.993	0.703	0.974	1.490	1.490	1.490	1.490	1.490
GH05BB	0.885	0.898	0.886	0.903	0.897	1.000	0.953	0.998	0.818	0.972	2.090	2.090	2.090	2.090	2.090
GH05BC	0.840	0.872	0.851	0.876	0.858	1.000	0.948	0.986	0.741	0.962	2.040	2.040	2.040	2.040	2.040
GH05BD	0.848	0.874	0.862	0.885	0.868	1.000	0.897	0.948	0.707	0.908	2.060	2.060	2.060	2.060	2.060
GH06AB	1.004	1.004	1.004	1.004	1.004	1.000	1.000	1.000	0.895	1.000	1.530	1.530	1.530	1.530	1.530
GH06AC	0.984	0.986	0.984	0.986	0.984	1.000	0.989	1.000	0.828	1.000	1.510	1.510	1.510	1.510	1.510
GH06AD	0.994	0.994	0.994	0.994	0.994	1.000	0.979	1.000	0.806	1.000	1.520	1.520	1.520	1.520	1.520
GH06BB	0.996	0.996	0.996	0.996	0.996	1.000	0.937	0.988	0.807	0.968	2.030	2.030	2.030	2.030	2.030
GH06BC	0.958	0.963	0.962	0.968	0.962	1.000	0.930	0.980	0.766	0.941	2.000	2.000	2.000	2.000	2.000
GH06BD	0.922	0.975	0.971	0.976	0.975	1.000	0.888	0.931	0.719	0.902	2.010	2.010	2.010	2.010	2.010
GH07AB	0.921	0.921	0.921	0.921	0.921	1.000	1.000	1.000	0.903	1.000	1.410	1.410	1.410	1.410	1.410
GH07AC	0.897	0.899	0.897	0.899	0.897	1.000	0.987	1.000	0.842	1.000	1.390	1.390	1.390	1.390	1.390
GH07AD	0.908	0.909	0.908	0.909	0.908	1.000	0.983	1.000	0.837	1.000	1.390	1.390	1.390	1.390	1.390
GH07BB	0.878	0.879	0.878	0.881	0.879	1.000	0.952	0.996	0.854	0.985	1.810	1.810	1.810	1.810	1.810
GH07BC	0.836	0.844	0.844	0.849	0.844	1.000	0.949	0.993	0.805	0.981	1.770	1.770	1.770	1.770	1.770
GH07BD	0.833	0.852	0.843	0.857	0.850	1.000	0.887	0.954	0.759	0.908	1.790	1.790	1.790	1.790	1.790
GH08AB	0.935	0.935	0.935	0.936	0.935	1.000	1.000	1.000	0.934	1.000	1.590	1.590	1.590	1.600	1.590
GH08AC	0.916	0.923	0.919	0.929	0.919	1.000	1.000	1.000	0.913	1.000	1.560	1.570	1.560	1.580	1.560
GH08AD	0.921	0.929	0.926	0.932	0.926	1.000	0.996	1.000	0.900	1.000	1.580	1.580	1.580	1.590	1.580
GH08BB	0.862	0.869	0.862	0.872	0.864	1.000	0.970	1.000	0.732	0.972	1.590	1.590	1.590	1.650	1.590
GH08BC	0.838	0.847	0.839	0.852	0.841	1.000	0.932	0.991	0.679	0.950	1.540	1.550	1.540	1.650	1.540
GH08BD	0.848	0.848	0.848	0.862	0.848	1.000	0.926	0.976	0.677	0.933	1.560	1.560	1.560	1.650	1.560

Table 1cont. Lower 5%-ile values for final depletion (D1), average need satisfaction (N9) and relative increase of 1+ population size (D10) for West Greenland humpback whales. Results are shown for the four SLAs considered. For comparison, results setting catch equal need (SL0) is also given.

b) Robustness Trials

	D1: Final depletion 1+ pop					N9: 5% Need satfn(100)					D10: Relative increase 1+ pop (5%)				
	SLA0	SLA1	SLA2	SLA3	SLA4	SLA0	SLA1	SLA2	SLA3	SLA4	SLA0	SLA1	SLA2	SLA3	SLA4
GH21AB	0.486	0.491	0.486	0.500	0.486	1.000	0.967	1.000	0.733	1.000	0.750	0.760	0.750	0.780	0.750
GH21AD	0.475	0.488	0.476	0.495	0.479	1.000	0.926	1.000	0.647	0.980	0.750	0.750	0.750	0.780	0.750
GH21BB	0.485	0.493	0.492	0.494	0.493	1.000	0.945	0.992	0.765	0.978	1.000	1.000	1.000	1.020	1.000
GH21BD	0.466	0.480	0.477	0.482	0.478	1.000	0.877	0.942	0.699	0.889	0.990	0.990	0.990	1.020	0.990
GH22AB	0.272	0.277	0.272	0.292	0.272	1.000	0.992	1.000	0.758	1.000	0.680	0.690	0.680	0.750	0.680
GH22AD	0.263	0.263	0.263	0.287	0.263	1.000	0.956	1.000	0.705	0.979	0.600	0.670	0.600	0.720	0.640
GH22BB	0.000	0.020	0.007	0.024	0.017	1.000	0.828	0.956	0.528	0.779	0.000	0.120	0.030	0.220	0.120
GH22BD	0.000	0.017	0.000	0.020	0.010	1.000	0.673	0.826	0.474	0.648	0.000	0.110	0.000	0.190	0.080
GH23AB	0.952	0.952	0.952	0.952	0.952	1.000	1.000	1.000	0.912	1.000	1.460	1.460	1.460	1.470	1.460
GH23AD	0.940	0.940	0.940	0.941	0.940	1.000	0.996	1.000	0.864	1.000	1.450	1.450	1.450	1.470	1.450
GH23BB	0.905	0.908	0.905	0.909	0.906	1.000	0.971	1.000	0.845	0.963	1.880	1.880	1.880	1.880	1.880
GH23BD	0.854	0.877	0.866	0.885	0.875	1.000	0.923	0.959	0.782	0.893	1.860	1.860	1.860	1.860	1.860
GH24AB	0.951	0.951	0.951	0.957	0.951	1.000	0.989	1.000	0.859	1.000	1.450	1.470	1.450	1.520	1.460
GH24AD	0.938	0.940	0.938	0.947	0.938	1.000	0.951	0.990	0.787	0.968	1.420	1.460	1.420	1.510	1.450
GH24BB	0.889	0.889	0.889	0.916	0.889	1.000	0.982	1.000	0.799	0.985	1.700	1.700	1.700	1.700	1.700
GH24BD	0.842	0.880	0.850	0.897	0.862	1.000	0.925	0.965	0.741	0.936	1.680	1.680	1.680	1.680	1.680
GH24CB	0.942	0.955	0.944	0.960	0.947	1.000	0.935	1.000	0.570	0.974	1.120	1.160	1.150	1.160	1.160
GH24CD	0.926	0.950	0.940	0.958	0.944	1.000	0.845	0.963	0.514	0.913	1.100	1.150	1.140	1.160	1.150
GH25DB	0.000	0.057	0.036	0.097	0.061	1.000	0.563	0.643	0.374	0.544	0.000	0.980	0.630	1.290	0.950
GH25DD	0.000	0.050	0.024	0.086	0.051	1.000	0.408	0.465	0.268	0.391	0.000	0.810	0.410	1.180	0.670
GH26AB	0.958	0.958	0.958	0.958	0.958	1.000	1.000	1.000	0.959	1.000	1.840	1.840	1.840	1.840	1.840
GH26AD	0.947	0.947	0.947	0.950	0.947	1.000	0.972	0.994	0.918	0.989	1.820	1.820	1.820	1.820	1.820
GH26BB	0.871	0.884	0.871	0.911	0.871	1.000	0.955	1.000	0.831	0.977	1.940	1.940	1.940	1.940	1.940
GH26BD	0.815	0.861	0.820	0.886	0.842	1.000	0.909	0.960	0.730	0.939	1.880	1.910	1.880	1.910	1.890
GH27AB	0.916	0.916	0.916	0.916	0.916	1.000	1.000	1.000	0.909	1.000	1.460	1.460	1.460	1.460	1.460
GH27AD	0.910	0.910	0.910	0.910	0.910	1.000	0.979	0.998	0.872	0.989	1.460	1.460	1.460	1.460	1.460
GH27BB	0.851	0.857	0.851	0.857	0.851	1.000	0.983	1.000	0.862	1.000	1.920	1.930	1.920	1.940	1.920
GH27BD	0.844	0.847	0.844	0.847	0.844	1.000	0.924	0.978	0.766	0.967	1.880	1.880	1.880	1.920	1.880
GH28AB	0.931	0.931	0.931	0.931	0.931	1.000	1.000	1.000	0.912	1.000	1.490	1.490	1.490	1.490	1.490
GH28AD	0.913	0.928	0.920	0.926	0.920	1.000	0.975	1.000	0.879	0.994	1.480	1.480	1.480	1.480	1.480
GH28BB	0.888	0.893	0.888	0.893	0.891	1.000	0.966	1.000	0.870	0.983	1.600	1.600	1.600	1.600	1.600
GH28BD	0.838	0.879	0.844	0.885	0.852	1.000	0.894	0.969	0.776	0.950	1.560	1.560	1.560	1.570	1.560

APPENDIX A

List of evaluation and robustness trials (see IWC, 2014, Table 5 and 6 of Annex D)

a) Evaluation trials for humpback whales

Trial	Description	Conditioning
GH01AA	MSYR ₁₊ = 5%; need scenario A; survey frequency = 10; historic survey bias = 1	Yes [1A]
GH01AB	MSYR ₁₊ = 5%; need scenario B; survey frequency = 10; historic survey bias = 1	1A
GH01AC	MSYR ₁₊ = 5%; need scenario C; survey frequency = 10; historic survey bias = 1	1A
GH01AD	MSYR ₁₊ = 5%; need scenario D; survey frequency = 10; historic survey bias = 1	1A
GH01BA	MSYR ₁₊ = 3%; need scenario A; survey frequency = 10; historic survey bias = 1	Yes [1B]
GH01BB	MSYR ₁₊ = 3%; need scenario B; survey frequency = 10; historic survey bias = 1	1B
GH01BC	MSYR ₁₊ = 3%; need scenario C; survey frequency = 10; historic survey bias = 1	1B
GH01BD	MSYR ₁₊ = 3%; need scenario D; survey frequency = 10; historic survey bias = 1	1B
GH01CA	MSYR ₁₊ = 7%; need scenario A; survey frequency = 10; historic survey bias = 1	Yes [1C]
GH01CB	MSYR ₁₊ = 7%; need scenario B; survey frequency = 10; historic survey bias = 1	1C
GH01CC	MSYR ₁₊ = 7%; need scenario C; survey frequency = 10; historic survey bias = 1	1C
GH01CD	MSYR ₁₊ = 7%; need scenario D; survey frequency = 10; historic survey bias = 1	1C
GH02AB	MSYR ₁₊ = 5%; need scenario B; survey frequency = 5; historic survey bias = 1	1A
GH02AC	MSYR ₁₊ = 5%; need scenario C; survey frequency = 5; historic survey bias = 1	1A
GH02AD	MSYR ₁₊ = 5%; need scenario D; survey frequency = 5; historic survey bias = 1	1A
GH02BB	MSYR ₁₊ = 3%; need scenario B; survey frequency = 5; historic survey bias = 1	1B
GH02BC	MSYR ₁₊ = 3%; need scenario C; survey frequency = 5; historic survey bias = 1	1B
GH02BD	MSYR ₁₊ = 3%; need scenario D; survey frequency = 5; historic survey bias = 1	1B
GH03AB	MSYR ₁₊ = 5%; need scenario B; survey frequency = 15; historic survey bias = 1	1A
GH03AC	MSYR ₁₊ = 5%; need scenario C; survey frequency = 15; historic survey bias = 1	1A
GH03BB	MSYR ₁₊ = 3%; need scenario B; survey frequency = 15; historic survey bias = 1	1B
GH03BC	MSYR ₁₊ = 3%; need scenario C; survey frequency = 15; historic survey bias = 1	1B
GH04AB	MSYR ₁₊ = 5%; need scenario B; survey frequency = 10; historic survey bias = 0.8	Yes [4A]
GH04AC	MSYR ₁₊ = 5%; need scenario C; survey frequency = 10; historic survey bias = 0.8	4A
GH04AD	MSYR ₁₊ = 5%; need scenario D; survey frequency = 10; historic survey bias = 0.8	4A
GH04BB	MSYR ₁₊ = 3%; need scenario B; survey frequency = 10; historic survey bias = 0.8	Yes [4B]
GH04BC	MSYR ₁₊ = 3%; need scenario C; survey frequency = 10; historic survey bias = 0.8	4B
GH04BD	MSYR ₁₊ = 3%; need scenario D; survey frequency = 10; historic survey bias = 0.8	4B
GH05AB	MSYR ₁₊ = 5%; need scenario B; survey frequency = 10; historic survey bias = 1.2	Yes [5A]
GH05AC	MSYR ₁₊ = 5%; need scenario C; survey frequency = 10; historic survey bias = 1.2	5A
GH05AD	MSYR ₁₊ = 5%; need scenario D; survey frequency = 10; historic survey bias = 1.2	5A
GH05BB	MSYR ₁₊ = 3%; need scenario B; survey frequency = 10; historic survey bias = 1.2	Yes [5B]
GH05BC	MSYR ₁₊ = 3%; need scenario C; survey frequency = 10; historic survey bias = 1.2	5B
GH05BD	MSYR ₁₊ = 3%; need scenario D; survey frequency = 10; historic survey bias = 1.2	5B
GH06AB	MSYR ₁₊ = 5%; need scenario B; survey frequency = 10; historic survey bias = 1; 3 episodic events	1A
GH06AC	MSYR ₁₊ = 5%; need scenario C; survey frequency = 10; historic survey bias = 1; 3 episodic events	1A
GH06AD	MSYR ₁₊ = 5%; need scenario D; survey frequency = 10; historic survey bias = 1; 3 episodic events	1A

GH06BB	MSYR ₁₊ = 3%; need scenario B; survey frequency = 10; historic survey bias = 1; 3 episodic events	1B
GH06BC	MSYR ₁₊ = 3%; need scenario B; survey frequency = 10; historic survey bias = 1; 3 episodic events	1B
GH06BD	MSYR ₁₊ = 3%; need scenario D; survey frequency = 10; historic survey bias = 1; 3 episodic events	1B
GH07AB	MSYR ₁₊ = 5%; need scenario B; survey frequency = 10; historic survey bias = 1; stochastic events every 5 years	1A
GH07AC	MSYR ₁₊ = 5%; need scenario C; survey frequency = 10; historic survey bias = 1; stochastic events every 5 years	1A
GH07AD	MSYR ₁₊ = 5%; need scenario D; survey frequency = 10; historic survey bias = 1; stochastic events every 5 years	1A
GH07BB	MSYR ₁₊ = 3%; need scenario B; survey frequency = 10; historic survey bias = 1; stochastic events every 5 years	1B
GH07BC	MSYR ₁₊ = 3%; need scenario B; survey frequency = 10; historic survey bias = 1; stochastic events every 5 years	1B
GH07BD	MSYR ₁₊ = 3%; need scenario D; survey frequency = 10; historic survey bias = 1; stochastic events every 5 years	1B
GH08AB	MSYR ₁₊ = 5%; need scenario B; survey frequency = 10; historic survey bias = 1; asymmetric environmental stochasticity (depletion = 0.3)	Yes [1A, 8A]
GH08AC	MSYR ₁₊ = 5%; need scenario C; survey frequency = 10; historic survey bias = 1; asymmetric environmental stochasticity (depletion = 0.3)	8A
GH08AD	MSYR ₁₊ = 5%; need scenario D; survey frequency = 10; historic survey bias = 1; asymmetric environmental stochasticity (depletion = 0.3)	8A
GH08BB	MSYR ₁₊ = 3%; need scenario B; survey frequency = 10; historic survey bias = 1; asymmetric environmental stochasticity (depletion = 0.3)	Yes [1B,8B]
GH08BC	MSYR ₁₊ = 3%; need scenario C; survey frequency = 10; historic survey bias = 1; asymmetric environmental stochasticity (depletion = 0.3)	8B
GH08BD	MSYR ₁₊ = 3%; need scenario D; survey frequency = 10; historic survey bias = 1; asymmetric environmental stochasticity (depletion = 0.3)	8B

b) Robustness trials for humpback whales

Trial	Description	Conditioning
GH21AB	Linear decrease in K ; MSYR ₁₊ = 5%; need scenario B	1A
GH21AD	Linear decrease in K ; MSYR ₁₊ = 5%; need scenario D	1A
GH21BB	Linear decrease in K ; MSYR ₁₊ = 3%; need scenario B	1B
GH21BD	Linear decrease in K ; MSYR ₁₊ = 3%; need scenario D	1B
GH22AB	Linear increase in M ; MSYR ₁₊ = 5%; need scenario B	1A
GH22AD	Linear increase in M ; MSYR ₁₊ = 5%; need scenario D	1A
GH22BB	Linear increase in M ; MSYR ₁₊ = 3%; need scenario B	1B
GH22BD	Linear increase in M ; MSYR ₁₊ = 3%; need scenario D	1B
GH23AB	Strategic surveys; MSYR ₁₊ = 5%; need scenario B	1A
GH23AD	Strategic surveys; MSYR ₁₊ = 5%; need scenario D	1A
GH23BB	Strategic surveys; MSYR ₁₊ = 3%; need scenario B	1B
GH23BD	Strategic surveys; MSYR ₁₊ = 3%; need scenario D	1B
GH24AB	Alternative priors; MSYR ₁₊ = 5%; need scenario B	Yes [4A*]

GH24AD	Alternative priors; MSYR ₁₊ = 5%; need scenario D	4A*
GH24BB	Alternative priors; MSYR ₁₊ = 3%; need scenario B	Yes [4B*]
GH24BD	Alternative priors; MSYR ₁₊ = 3%; need scenario D	4B*
GH24CB	Alternative priors; MSYR ₁₊ = 7%; need scenario B	Yes [4C*]
GH24CD	Alternative priors; MSYR ₁₊ = 7%; need scenario D	4C*
GH25DB	MSYR ₁₊ = 1%; need scenario B	Yes [5D*]
GH25DD	MSYR ₁₊ = 1%; need scenario D	5D*
GH26AB	Include mark-recapture estimates in the conditioning; MSYR ₁₊ = 5%; need scenario B	Yes [6A*]
GH26AD	Include mark-recapture estimates in the conditioning; MSYR ₁₊ = 5%; need scenario D	6A*
GH26BB	Include mark-recapture estimates in the conditioning; MSYR ₁₊ = 3%; need scenario B	Yes [6B*]
GH26BD	Include mark-recapture estimates in the conditioning; MSYR ₁₊ = 3%; need scenario D	6B*
GH27AB	MSYR ₁₊ = 5%; need scenario B; survey frequency = 10; historic survey bias = 1; asymmetric environmental stochasticity (depletion = 0.15)	Yes [1A,7A*]
GH27AD	MSYR ₁₊ = 5%; need scenario D; survey frequency = 10; historic survey bias = 1; asymmetric environmental stochasticity (depletion = 0.15)	7A*
GH27BB	MSYR ₁₊ = 3%; need scenario B; survey frequency = 10; historic survey bias = 1; asymmetric environmental stochasticity (depletion = 0.15)	Yes [1B,7B*]
GH27BD	MSYR ₁₊ = 3%; need scenario D; survey frequency = 10; historic survey bias = 1; asymmetric environmental stochasticity (depletion = 0.15)	7B*
GH28AB	MSYR ₁₊ = 5%; need scenario B; survey frequency = 10; historic survey bias = 1; asymmetric environmental stochasticity (depletion = 0.6)	Yes [1A,8A*]
GH28AD	MSYR ₁₊ = 5%; need scenario D; survey frequency = 10; historic survey bias = 1; asymmetric environmental stochasticity (depletion = 0.6)	8A*
GH28BB	MSYR ₁₊ = 3%; need scenario B; survey frequency = 10; historic survey bias = 1; asymmetric environmental stochasticity (depletion = 0.6)	Yes [1B,8B*]
GH28BD	MSYR ₁₊ = 3%; need scenario D; survey frequency = 10; historic survey bias = 1; asymmetric environmental stochasticity (depletion = 0.6)	8B*

Description of the different need scenarios (see IWC, 2014, Table 4 of Annex D) for humpback whales

Need scenario	Description	
Humpback whales		
A	Need envelop: [10, 15, 20→20 over years 17–100]	
B	Need envelop: [10, 15, 20→40 over years 17–100]	
C	Need envelop: [10, 15, 20→60 over years 17–100]	
D	Need envelop: [20, 25, 30, 30→50 over years 17–100]	

APPENDIX B

Further SLA results

Table B.1. The more important statistics for SLA1 (interim SLA). Robustness trials are highlighted.

	D1: Final depletion 1+ pop				D1: Final depletion F pop				D8(0): Scaled Final 1+ pop size				D8(inc): Scaled Final 1+ pop size				D9: min mat fem pop level				D10:Relative increase 1+ pop				N9: Need satfn(20)			N9: Need satfn(100)			N12: Mean downstep		
	5%	Median	96%		5%	Median	96%		5%	Median	96%		5%	Median	96%		5%	Median	96%		5%	Median	96%		5%	Median	96%		5%	Median	96%		
GH01AA	0.97	0.99	0.99	0.94	0.98	0.99	0.97	0.99	0.99	0.98	0.99	1.00	482	1017	2056	1.49	4.54	9.78	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH01AB	0.95	0.98	0.99	0.90	0.96	0.98	0.95	0.98	0.99	0.96	0.99	0.99	482	1017	2056	1.46	4.51	9.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH01AC	0.93	0.98	0.99	0.86	0.95	0.97	0.93	0.98	0.99	0.94	0.98	0.99	482	1017	2056	1.45	4.49	9.72	1.00	1.00	1.00	0.99	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
GH01AD	0.94	0.98	0.99	0.88	0.96	0.98	0.94	0.98	0.99	0.95	0.98	0.99	482	1017	2056	1.45	4.50	9.73	1.00	1.00	0.98	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
GH01BA	0.93	0.97	0.99	0.87	0.95	0.98	0.94	0.98	0.99	0.96	0.99	0.99	303	789	1796	1.91	5.73	16.92	0.75	1.00	1.00	0.95	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH01BB	0.91	0.96	0.98	0.84	0.93	0.97	0.91	0.97	0.98	0.93	0.98	0.99	303	789	1796	1.88	5.67	16.66	0.75	1.00	1.00	0.95	1.00	1.00	1.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01	
GH01BC	0.87	0.95	0.98	0.79	0.92	0.95	0.88	0.96	0.98	0.90	0.97	0.98	303	789	1796	1.85	5.58	16.38	0.75	1.00	1.00	0.94	1.00	1.00	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.01	
GH01BD	0.88	0.96	0.98	0.79	0.92	0.96	0.88	0.96	0.98	0.90	0.97	0.98	303	789	1796	1.86	5.60	16.28	0.59	1.00	1.00	0.88	1.00	1.00	1.00	0.00	0.00	0.02	0.00	0.00	0.02	0.02	
GH01CA	0.98	0.99	1.00	0.96	0.98	0.99	0.98	0.99	1.00	0.98	1.00	1.00	715	1276	2666	1.12	3.12	7.33	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH01CB	0.96	0.99	0.99	0.93	0.97	0.98	0.96	0.99	0.99	0.97	0.99	1.00	715	1276	2666	1.11	3.10	7.31	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH01CC	0.95	0.98	0.99	0.90	0.96	0.98	0.95	0.98	0.99	0.95	0.99	0.99	715	1276	2666	1.09	3.08	7.29	1.00	1.00	1.00	0.95	1.00	1.00	1.00	0.00	0.00	0.02	0.00	0.00	0.02	0.02	
GH01CD	0.96	0.99	0.99	0.91	0.97	0.98	0.96	0.99	0.99	0.96	0.99	0.99	715	1276	2666	1.10	3.09	7.29	1.00	1.00	1.00	0.97	1.00	1.00	1.00	0.00	0.00	0.02	0.00	0.00	0.02	0.02	
GH02AB	0.95	0.98	0.99	0.90	0.96	0.98	0.95	0.98	0.99	0.96	0.99	0.99	482	1017	2056	1.46	4.51	9.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH02AC	0.93	0.98	0.99	0.86	0.95	0.97	0.93	0.98	0.99	0.94	0.98	0.99	482	1017	2056	1.45	4.49	9.72	1.00	1.00	1.00	0.99	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH02AD	0.94	0.98	0.99	0.88	0.96	0.98	0.94	0.98	0.99	0.95	0.98	0.99	482	1017	2056	1.45	4.50	9.73	1.00	1.00	0.99	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH02BB	0.91	0.96	0.98	0.84	0.93	0.97	0.91	0.97	0.98	0.93	0.98	0.99	303	789	1796	1.88	5.67	16.59	0.90	1.00	1.00	0.97	1.00	1.00	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.01	
GH02BC	0.87	0.95	0.98	0.79	0.92	0.95	0.88	0.96	0.98	0.90	0.97	0.98	303	789	1796	1.85	5.58	16.29	0.90	1.00	1.00	0.97	1.00	1.00	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.01	
GH02BD	0.88	0.96	0.98	0.79	0.92	0.96	0.88	0.96	0.98	0.89	0.97	0.98	303	789	1796	1.86	5.60	16.14	0.81	1.00	1.00	0.91	1.00	1.00	1.00	0.00	0.00	0.04	0.00	0.00	0.04	0.04	
GH03AB	0.96	0.99	0.99	0.91	0.97	0.98	0.96	0.99	0.99	0.97	0.99	0.99	482	1017	2056	1.47	4.52	9.76	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH03AC	0.94	0.98	0.99	0.87	0.96	0.98	0.94	0.98	0.99	0.95	0.99	0.99	482	1017	2056	1.45	4.50	9.73	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH03BB	0.91	0.97	0.98	0.84	0.93	0.97	0.92	0.97	0.98	0.93	0.98	0.99	303	789	1796	1.89	5.68	16.59	0.99	1.00	1.00	0.98	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH03BC	0.87	0.96	0.98	0.80	0.92	0.96	0.89	0.96	0.98	0.91	0.97	0.98	303	789	1796	1.86	5.59	16.31	0.99	1.00	1.00	0.97	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH04AB	0.96	0.99	0.99	0.92	0.97	0.98	0.96	0.99	0.99	0.96	0.99	0.99	607	1434	2723	1.35	3.46	8.66	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH04AC	0.95	0.98	0.99	0.89	0.96	0.97	0.95	0.98	0.99	0.95	0.98	0.99	607	1434	2723	1.34	3.44	8.61	1.00	1.00	0.99	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH04AD	0.95	0.98	0.99	0.90	0.96	0.98	0.95	0.98	0.99	0.95	0.99	0.99	607	1434	2723	1.35	3.45	8.63	0.96	1.00	1.00	0.97	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH04BB	0.91	0.97	0.98	0.87	0.94	0.97	0.91	0.97	0.98	0.93	0.98	0.99	423	989	1961	1.71	4.05	11.31	0.95	1.00	1.00	0.96	1.00	1.00	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.01	
GH04BC	0.90	0.96	0.98	0.85	0.92	0.96	0.90	0.96	0.98	0.91	0.97	0.98	423	989	1961	1.66	4.01	11.16	0.95	1.00	1.00	0.94	1.00	1.00	1.00	0.00	0.00	0.03	0.00	0.00	0.03	0.03	
GH04BD	0.90	0.96	0.98	0.85	0.93	0.96	0.90	0.96	0.98	0.91	0.97	0.98	423	989	1961	1.68	4.03	11.17	0.74	1.00	1.00	0.92	1.00	1.00	1.00	0.00	0.00	0.03	0.00	0.00	0.03	0.03	
GH05AB	0.95	0.98	0.99	0.90	0.96	0.98	0.95	0.98	0.99	0.95	0.99	0.99	466	980	2305	1.50	4.58	11.49	1.00	1.00	1.00	0.98	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH05AC	0.93	0.98	0.99	0.88	0.95	0.97	0.93	0.98	0.99	0.94	0.98	0.99	466	980	2305	1.49	4.56	11.44	1.00	1.00	1.00	0.96	1.00	1.00	1.00	0.00	0.00	0.03	0.00	0.00	0.03	0.03	
GH05AD	0.94	0.98	0.99	0.89	0.96	0.98	0.94	0.98	0.99	0.94	0.98	0.99	466	980	2305	1.49	4.57	11.46	0.95	1.00	1.00	0.94	1.00	1.00	1.00	0.00	0.00	0.03	0.00	0.00	0.03	0.03	
GH05BB	0.90	0.96	0.98	0.84	0.93	0.96	0.90	0.96	0.98	0.92	0.97	0.99	360	676	1475	2.09	6.02	14.04	0.90	1.00	1.00	0.95	1.00	1.00	1.00	0.00	0.00	0.02	0.00	0.00	0.02	0.02	
GH05BC	0.87	0.95	0.97	0.80	0.90	0.95	0.88	0.95	0.97	0.89	0.96	0.98	360	676	1475	2.04	5.95	13.85	0.90	1.00	1.00	0.95	1.00	1.									

Table B.1 cont. The more important statistics for SLA1 (interim SLA). Robustness trials are highlighted.

	D1: Final depletion 1+				D1: Final depletion F				D8(0): Scaled Final 1+				D8(inc): Scaled Final 1+				D9: min mat fem pop				D10: Relative increase				N9: Need satfn(20)				N9: Need satfn(100)				N12: Mean downstep			
	pop				pop				pop size				pop size				level				1+ pop															
	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%			
GH21AB	0.49	0.51	0.52	0.48	0.53	0.54	0.88	0.98	0.99	0.93	0.98	0.99	482	1017	2056	0.76	2.35	5.11	1.00	1.00	1.00	0.97	1.00	1.00	0.00	0.00	0.00	0.02								
GH21AD	0.49	0.51	0.52	0.47	0.52	0.54	0.88	0.97	0.98	0.92	0.97	0.99	482	1017	2056	0.75	2.34	5.08	1.00	1.00	1.00	0.93	1.00	1.00	0.00	0.00	0.04									
GH21BB	0.49	0.52	0.53	0.48	0.54	0.56	0.91	0.97	0.98	0.92	0.97	0.98	303	789	1796	1.00	3.05	9.40	0.75	1.00	1.00	0.95	1.00	1.00	0.00	0.00	0.01									
GH21BD	0.48	0.52	0.53	0.46	0.53	0.55	0.89	0.96	0.98	0.90	0.97	0.98	303	789	1796	0.99	3.01	9.30	0.59	1.00	1.00	0.88	1.00	1.00	0.00	0.00	0.03									
GH22AB	0.28	0.73	0.93	0.24	0.64	0.86	0.82	0.95	0.98	0.83	0.96	0.99	445	977	2056	0.69	3.00	7.58	1.00	1.00	1.00	0.99	1.00	1.00	0.00	0.00	0.01									
GH22AD	0.26	0.72	0.92	0.23	0.63	0.85	0.78	0.94	0.97	0.79	0.95	0.98	445	977	2056	0.67	2.96	7.53	0.98	1.00	1.00	0.96	1.00	1.00	0.00	0.00	0.03									
GH22BB	0.02	0.29	0.65	0.02	0.24	0.58	0.35	0.74	0.92	0.41	0.78	0.93	104	653	1640	0.12	1.53	5.22	0.75	1.00	1.00	0.83	1.00	1.00	0.00	0.00	0.11									
GH22BD	0.02	0.25	0.64	0.02	0.20	0.56	0.27	0.68	0.90	0.32	0.71	0.91	96	634	1640	0.11	1.35	4.79	0.59	1.00	1.00	0.67	0.98	1.00	0.00	0.00	0.14									
GH23AB	0.95	0.98	0.99	0.90	0.96	0.98	0.95	0.98	0.99	0.96	0.99	0.99	482	1017	2056	1.46	4.51	9.75	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00									
GH23AD	0.94	0.98	0.99	0.88	0.96	0.98	0.94	0.98	0.99	0.95	0.98	0.99	482	1017	2056	1.45	4.50	9.73	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00									
GH23BB	0.91	0.96	0.98	0.84	0.93	0.97	0.91	0.97	0.98	0.93	0.98	0.99	303	789	1796	1.88	5.67	16.58	0.90	1.00	1.00	0.97	1.00	1.00	0.00	0.00	0.01									
GH23BD	0.88	0.96	0.98	0.79	0.92	0.96	0.88	0.96	0.98	0.90	0.97	0.98	303	789	1796	1.86	5.60	16.01	0.70	1.00	1.00	0.92	1.00	1.00	0.00	0.00	0.02									
GH24AB	0.95	0.98	0.99	0.89	0.96	0.98	0.95	0.98	0.99	0.96	0.99	0.99	506	1036	2131	1.47	3.92	9.56	1.00	1.00	1.00	0.99	1.00	1.00	0.00	0.00	0.00									
GH24AD	0.94	0.98	0.99	0.87	0.96	0.97	0.94	0.98	0.99	0.95	0.98	0.99	506	1036	2131	1.46	3.90	9.54	0.91	1.00	1.00	0.95	1.00	1.00	0.00	0.00	0.01									
GH24BB	0.89	0.97	0.98	0.83	0.94	0.97	0.90	0.97	0.98	0.92	0.98	0.99	388	851	1857	1.70	4.81	12.91	0.97	1.00	1.00	0.98	1.00	1.00	0.00	0.00	0.01									
GH24BD	0.88	0.96	0.98	0.78	0.92	0.96	0.88	0.96	0.98	0.90	0.97	0.98	388	851	1857	1.68	4.78	12.48	0.74	1.00	1.00	0.93	1.00	1.00	0.00	0.00	0.03									
GH24CB	0.96	0.98	0.99	0.90	0.96	0.98	0.96	0.98	0.99	0.96	0.99	1.00	672	1203	2235	1.16	2.70	8.57	1.00	1.00	1.00	0.94	1.00	1.00	0.00	0.00	0.03									
GH24CD	0.95	0.98	0.99	0.89	0.96	0.98	0.95	0.98	0.99	0.95	0.99	0.99	672	1203	2235	1.15	2.69	8.56	0.96	1.00	1.00	0.85	1.00	1.00	0.00	0.00	0.06									
GH25DB	0.06	0.27	0.73	0.05	0.25	0.69	0.26	0.49	0.83	0.31	0.53	0.85	251	630	1698	0.98	1.51	2.36	0.66	1.00	1.00	0.56	0.92	1.00	0.00	0.03	0.15									
GH25DD	0.05	0.22	0.65	0.04	0.20	0.59	0.22	0.40	0.77	0.25	0.43	0.79	232	612	1698	0.81	1.26	2.04	0.52	0.99	1.00	0.41	0.79	1.00	0.00	0.10	0.22									
GH26AB	0.96	0.98	0.99	0.92	0.97	0.98	0.96	0.98	0.99	0.96	0.99	0.99	439	946	1799	1.84	4.87	12.77	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00									
GH26AD	0.95	0.98	0.99	0.90	0.96	0.98	0.95	0.98	0.99	0.95	0.99	0.99	439	946	1799	1.82	4.85	12.73	0.87	1.00	1.00	0.97	1.00	1.00	0.00	0.00	0.00									
GH26BB	0.88	0.96	0.98	0.78	0.93	0.96	0.90	0.97	0.98	0.91	0.98	0.99	448	809	1335	1.94	5.30	12.02	0.99	1.00	1.00	0.96	1.00	1.00	0.00	0.01										
GH26BD	0.86	0.96	0.97	0.74	0.92	0.96	0.86	0.96	0.98	0.89	0.97	0.98	448	809	1335	1.91	5.28	11.91	0.78	1.00	1.00	0.91	1.00	1.00	0.00	0.02										
GH27AB	0.92	1.01	1.11	0.90	0.98	1.05	0.97	0.99	1.00	0.97	0.99	1.00	499	1025	2600	1.46	4.43	10.39	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00									
GH27AD	0.91	1.01	1.11	0.89	0.97	1.04	0.96	0.98	1.00	0.96	0.99	1.00	499	1025	2600	1.46	4.43	10.37	0.95	1.00	1.00	0.98	1.00	1.00	0.00	0.00	0.00									
GH27BB	0.86	1.00	1.11	0.81	0.96	1.06	0.94	0.97	0.99	0.94	0.98	1.00	479	804	1501	1.93	5.76	12.86	0.96	1.00	1.00	0.98	1.00	1.00	0.00	0.00	0.00									
GH27BD	0.85	1.00	1.10	0.80	0.95	1.05	0.91	0.96	0.99	0.93	0.97	0.99	479	804	1501	1.88	5.72	12.84	0.77	1.00	1.00	0.92	1.00	1.00	0.00	0.02										
GH28AB	0.93	0.99	1.02	0.90	0.97	1.02	0.95	0.98	0.99	0.95	0.99	0.99	479	1063	2246	1.49	3.92	11.37	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00									
GH28AD	0.93	0.99	1.02	0.88	0.96	1.02	0.94	0.98	0.99	0.94	0.99	0.99	479	1063	2246	1.48	3.91	11.34	0.98	1.00	1.00	0.98	1.00	1.00	0.00	0.01										
GH28BB	0.89	0.97	1.02	0.83	0.93	1.01	0.92	0.97	0.98	0.94	0.98	0.99	369	868	1797	1.60	4.99	14.13	0.97	1.00	1.00	0.97	1.00	1.00	0.00	0.00	0.01									
GH28BD	0.88	0.96	1.01	0.80	0.92	0.99	0.90	0.96	0.98	0.91	0.97	0.98	369	868	1797	1.56	4.95	13.78	0.79	1.00	1.00	0.89	1.00	1.00	0.00	0.00	0.02									

Table B.2. The more important statistics for SLA2 (weighted-average). Robustness trials are highlighted.

	D1: Final depletion 1+				D1: Final depletion F				D8(0): Scaled Final 1+				D8(inc): Scaled Final				D9: min mat fem pop				D10: Relative increase				N9: Need satfn(20)				N9: Need satfn(100)				N12: Mean downstep				
	pop		pop		pop size		1+ pop size		level		1+ pop		N9: Need satfn(20)		N9: Need satfn(100)		N12: Mean downstep																				
	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%							
GH01AA	0.97	0.99	0.99	0.94	0.98	0.99	0.97	0.99	0.99	0.98	0.99	1.00	482	1017	2056	1.49	4.54	9.78	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH01AB	0.95	0.98	0.99	0.90	0.96	0.98	0.95	0.98	0.99	0.96	0.99	0.99	482	1017	2056	1.46	4.51	9.75	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH01AC	0.93	0.98	0.99	0.86	0.95	0.97	0.93	0.98	0.99	0.94	0.98	0.99	482	1017	2056	1.45	4.49	9.72	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH01AD	0.94	0.98	0.99	0.88	0.96	0.98	0.94	0.98	0.99	0.95	0.98	0.99	482	1017	2056	1.45	4.50	9.73	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH01BA	0.92	0.97	0.99	0.87	0.95	0.98	0.94	0.98	0.99	0.96	0.99	0.99	303	789	1796	1.91	5.73	16.83	0.96	1.00	1.00	0.99	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH01BB	0.91	0.96	0.98	0.81	0.93	0.97	0.91	0.97	0.98	0.93	0.98	0.99	303	789	1796	1.88	5.67	16.56	0.96	1.00	1.00	0.99	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH01BC	0.87	0.95	0.98	0.77	0.92	0.95	0.88	0.96	0.98	0.89	0.97	0.98	303	789	1796	1.85	5.58	16.27	0.96	1.00	1.00	0.99	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH01BD	0.87	0.96	0.98	0.77	0.92	0.96	0.87	0.96	0.98	0.89	0.97	0.98	303	789	1796	1.86	5.60	16.16	0.77	1.00	1.00	0.95	1.00	1.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
GH01CA	0.98	0.99	1.00	0.96	0.98	0.99	0.98	0.99	1.00	0.98	1.00	1.00	715	1276	2666	1.12	3.12	7.33	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH01CB	0.96	0.99	0.99	0.92	0.97	0.98	0.96	0.99	0.99	0.96	0.99	1.00	715	1276	2666	1.11	3.10	7.31	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH01CC	0.94	0.98	0.99	0.89	0.96	0.98	0.94	0.98	0.99	0.95	0.99	0.99	715	1276	2666	1.09	3.08	7.29	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH01CD	0.95	0.99	0.99	0.90	0.97	0.98	0.95	0.99	0.99	0.95	0.99	0.99	715	1276	2666	1.10	3.09	7.29	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH02AB	0.95	0.98	0.99	0.90	0.96	0.98	0.95	0.98	0.99	0.96	0.99	0.99	482	1017	2056	1.46	4.51	9.75	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH02AC	0.93	0.98	0.99	0.86	0.95	0.97	0.93	0.98	0.99	0.94	0.98	0.99	482	1017	2056	1.45	4.49	9.72	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH02AD	0.94	0.98	0.99	0.88	0.96	0.98	0.94	0.98	0.99	0.95	0.98	0.99	482	1017	2056	1.45	4.50	9.73	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH02BB	0.91	0.96	0.98	0.81	0.93	0.97	0.91	0.97	0.98	0.93	0.98	0.99	303	789	1796	1.88	5.67	16.52	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH02BC	0.87	0.95	0.98	0.76	0.92	0.95	0.88	0.96	0.98	0.89	0.97	0.98	303	789	1796	1.85	5.58	16.21	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH02BD	0.87	0.96	0.98	0.77	0.92	0.96	0.87	0.96	0.98	0.89	0.97	0.98	303	789	1796	1.86	5.60	16.05	0.90	1.00	1.00	0.97	1.00	1.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
GH03AB	0.96	0.99	0.99	0.91	0.97	0.98	0.96	0.99	0.99	0.97	0.99	0.99	482	1017	2056	1.47	4.52	9.76	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH03AC	0.94	0.98	0.99	0.87	0.96	0.98	0.94	0.98	0.99	0.95	0.99	0.99	482	1017	2056	1.45	4.50	9.73	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH03BB	0.91	0.97	0.98	0.83	0.93	0.97	0.91	0.97	0.98	0.94	0.98	0.99	303	789	1796	1.89	5.68	16.54	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH03BC	0.87	0.96	0.98	0.80	0.92	0.96	0.89	0.96	0.98	0.90	0.97	0.98	303	789	1796	1.86	5.59	16.24	1.00	1.00	1.00	0.99	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH04AB	0.96	0.99	0.99	0.92	0.97	0.98	0.96	0.99	0.99	0.96	0.99	0.99	607	1434	2723	1.35	3.46	8.66	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH04AC	0.94	0.98	0.99	0.88	0.96	0.97	0.94	0.98	0.99	0.94	0.98	0.99	607	1434	2723	1.32	3.44	8.61	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH04AD	0.95	0.98	0.99	0.90	0.96	0.98	0.95	0.98	0.99	0.95	0.99	0.99	607	1434	2723	1.33	3.45	8.63	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH04BB	0.90	0.97	0.98	0.86	0.94	0.97	0.90	0.97	0.98	0.93	0.98	0.99	423	989	1961	1.71	4.05	11.29	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH04BC	0.89	0.96	0.98	0.84	0.92	0.96	0.89	0.96	0.98	0.91	0.97	0.98	423	989	1961	1.66	4.03	11.15	0.94	1.00	1.00	0.96	1.00	1.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
GH05AB	0.93	0.98	0.99	0.89	0.96	0.98	0.99	0.94	0.99	0.99	0.97	0.99	466	980	2305	1.50	4.58	11.49	1.00	1.00	1.																

Table B.2 cont. The more important statistics for SLA2 (weighted-average). Robustness trials are highlighted.

	D1: Final depletion 1+		D1: Final depletion F		D8(0): Scaled Final 1+		D8(inc): Scaled Final		D9: min mat fem pop		D10: Relative increase		N9: Need satfn(20)		N9: Need satfn(100)		N12: Mean downstep			
	pop		pop		pop size		1+ pop size		level		1+ pop		5% Median		96%		5% Median		96%	
	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median
GH21AB	0.49	0.51	0.52	0.47	0.53	0.54	0.88	0.98	0.99	0.91	0.98	0.99	482	1017	2056	0.75	2.35	5.11	1.00	1.00
GH21AD	0.48	0.51	0.52	0.45	0.52	0.54	0.88	0.97	0.98	0.90	0.97	0.99	482	1017	2056	0.75	2.34	5.08	1.00	1.00
GH21BB	0.49	0.52	0.53	0.48	0.54	0.56	0.90	0.97	0.98	0.92	0.97	0.98	303	784	1796	1.00	3.05	9.39	0.96	1.00
GH21BD	0.48	0.52	0.53	0.45	0.53	0.55	0.88	0.96	0.98	0.90	0.97	0.98	303	780	1796	0.99	3.01	9.28	0.77	1.00
GH22AB	0.27	0.73	0.93	0.24	0.64	0.86	0.81	0.95	0.98	0.82	0.96	0.99	445	977	2056	0.68	3.00	7.58	1.00	1.00
GH22AD	0.26	0.72	0.92	0.23	0.63	0.85	0.75	0.94	0.97	0.76	0.95	0.98	445	977	2056	0.60	2.96	7.53	1.00	1.00
GH22BB	0.01	0.28	0.65	0.01	0.24	0.58	0.08	0.74	0.92	0.09	0.78	0.93	32	652	1640	0.03	1.53	5.22	0.96	1.00
GH22BD	0.00	0.25	0.64	0.00	0.19	0.56	0.00	0.65	0.90	0.00	0.68	0.91	0	634	1640	0.00	1.29	4.78	0.77	1.00
GH23AB	0.95	0.98	0.99	0.90	0.96	0.98	0.95	0.98	0.99	0.96	0.99	0.99	482	1017	2056	1.46	4.51	9.75	1.00	1.00
GH23AD	0.94	0.98	0.99	0.88	0.96	0.98	0.94	0.98	0.99	0.95	0.98	0.99	482	1017	2056	1.45	4.50	9.73	1.00	1.00
GH23BB	0.91	0.96	0.98	0.81	0.93	0.97	0.91	0.97	0.98	0.93	0.98	0.99	303	789	1796	1.88	5.67	16.52	1.00	1.00
GH23BD	0.87	0.96	0.98	0.77	0.92	0.96	0.87	0.96	0.98	0.89	0.97	0.98	303	789	1796	1.86	5.60	15.93	0.86	1.00
GH24AB	0.95	0.98	0.99	0.89	0.96	0.98	0.95	0.98	0.99	0.96	0.99	0.99	506	1036	2131	1.45	3.92	9.56	1.00	1.00
GH24AD	0.94	0.98	0.99	0.86	0.96	0.97	0.94	0.98	0.99	0.94	0.98	0.99	506	1036	2131	1.42	3.90	9.54	0.99	1.00
GH24BB	0.89	0.97	0.98	0.83	0.94	0.97	0.89	0.97	0.98	0.92	0.98	0.99	388	851	1857	1.70	4.81	12.91	1.00	1.00
GH24BD	0.85	0.96	0.98	0.77	0.92	0.96	0.85	0.96	0.98	0.87	0.97	0.98	388	851	1857	1.68	4.78	12.48	0.92	1.00
GH24CB	0.94	0.98	0.99	0.88	0.96	0.98	0.94	0.98	0.99	0.95	0.99	1.00	672	1203	2235	1.15	2.70	8.57	1.00	1.00
GH24CD	0.94	0.98	0.99	0.87	0.96	0.98	0.94	0.98	0.99	0.95	0.99	0.99	672	1203	2235	1.14	2.69	8.56	1.00	1.00
GH25DB	0.04	0.25	0.71	0.03	0.22	0.67	0.17	0.43	0.83	0.20	0.47	0.85	211	618	1698	0.63	1.31	2.36	0.98	1.00
GH25DD	0.02	0.17	0.64	0.02	0.15	0.58	0.11	0.30	0.77	0.13	0.33	0.79	141	556	1698	0.41	0.97	2.02	0.74	1.00
GH26AB	0.96	0.98	0.99	0.92	0.97	0.98	0.96	0.98	0.99	0.96	0.99	0.99	439	946	1799	1.84	4.87	12.77	1.00	1.00
GH26AD	0.95	0.98	0.99	0.90	0.96	0.98	0.95	0.98	0.99	0.95	0.99	0.99	439	946	1799	1.82	4.85	12.73	0.98	1.00
GH26BB	0.87	0.96	0.98	0.77	0.93	0.96	0.90	0.97	0.98	0.91	0.98	0.99	448	809	1335	1.94	5.30	12.02	1.00	1.00
GH26BD	0.82	0.96	0.97	0.70	0.92	0.96	0.85	0.96	0.98	0.88	0.97	0.98	448	809	1335	1.88	5.28	11.91	0.91	1.00
GH27AB	0.92	1.01	1.10	0.90	0.98	1.05	0.96	0.99	1.00	0.97	0.99	1.00	499	1025	2600	1.46	4.43	10.39	1.00	1.00
GH27AD	0.91	1.01	1.10	0.89	0.97	1.04	0.96	0.98	1.00	0.96	0.99	1.00	499	1025	2600	1.46	4.43	10.37	1.00	1.00
GH27BB	0.85	1.00	1.11	0.80	0.96	1.06	0.93	0.97	0.99	0.94	0.98	1.00	479	804	1501	1.92	5.76	12.86	1.00	1.00
GH27BD	0.84	1.00	1.10	0.78	0.95	1.05	0.91	0.96	0.99	0.92	0.97	0.99	479	804	1501	1.88	5.72	12.84	0.94	1.00
GH28AB	0.93	0.99	1.02	0.90	0.97	1.02	0.95	0.98	0.99	0.95	0.99	0.99	479	1063	2246	1.49	3.92	11.37	1.00	1.00
GH28AD	0.92	0.99	1.02	0.88	0.96	1.02	0.93	0.98	0.99	0.94	0.99	0.99	479	1063	2246	1.48	3.91	11.34	1.00	1.00
GH28BB	0.89	0.97	1.02	0.82	0.93	1.01	0.92	0.97	0.98	0.93	0.98	0.99	369	868	1797	1.60	4.99	14.09	1.00	1.00
GH28BD	0.84	0.96	1.01	0.79	0.92	0.99	0.89	0.96	0.98	0.91	0.97	0.98	369	868	1797	1.56	4.95	13.64	0.95	1.00

Table B.3. The more important statistics for SLA3 (variant of weighted-average). Robustness trials are highlighted.

	D1: Final depletion 1+				D1: Final depletion F				D8(0): Scaled Final 1+				D8(inc): Scaled Final				D9: min mat fem pop				D10: Relative increase				N9: Need satfn(20)				N9: Need satfn(100)				N12: Mean downstep			
	pop		pop		pop size		pop size		1+ pop size		level		1+ pop		pop		5% Median		96%		5% Median		96%		5% Median		96%		5% Median		96%					
	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%						
GH01AA	0.97	0.99	0.99	0.94	0.98	0.99	0.97	0.99	0.99	0.98	0.99	1.00	482	1017	2056	1.49	4.54	9.78	1.00	1.00	1.00	0.95	1.00	1.00	0.00	0.00	0.03									
GH01AB	0.95	0.98	0.99	0.90	0.96	0.98	0.95	0.98	0.99	0.96	0.99	0.99	482	1017	2056	1.46	4.51	9.75	1.00	1.00	1.00	0.91	1.00	1.00	0.00	0.00	0.05									
GH01AC	0.93	0.98	0.99	0.86	0.95	0.97	0.93	0.98	0.99	0.94	0.98	0.99	482	1017	2056	1.45	4.49	9.72	1.00	1.00	1.00	0.86	1.00	1.00	0.00	0.00	0.06									
GH01AD	0.94	0.98	0.99	0.88	0.96	0.98	0.94	0.98	0.99	0.95	0.98	0.99	482	1017	2056	1.45	4.50	9.73	1.00	1.00	1.00	0.85	1.00	1.00	0.00	0.00	0.06									
GH01BA	0.93	0.97	0.99	0.87	0.95	0.98	0.94	0.98	0.99	0.96	0.99	0.99	303	789	1796	1.91	5.73	16.89	0.92	1.00	1.00	0.90	1.00	1.00	0.00	0.00	0.05									
GH01BB	0.91	0.96	0.98	0.84	0.93	0.97	0.91	0.97	0.98	0.93	0.98	0.99	303	789	1796	1.88	5.67	16.65	0.92	1.00	1.00	0.86	1.00	1.00	0.00	0.00	0.04									
GH01BC	0.88	0.95	0.98	0.79	0.92	0.95	0.89	0.96	0.98	0.91	0.97	0.98	303	789	1796	1.85	5.58	16.42	0.92	1.00	1.00	0.81	1.00	1.00	0.00	0.00	0.04									
GH01BD	0.89	0.96	0.98	0.81	0.92	0.96	0.89	0.96	0.98	0.91	0.97	0.98	303	789	1796	1.86	5.60	16.39	0.71	1.00	1.00	0.74	1.00	1.00	0.00	0.00	0.06									
GH01CA	0.98	0.99	1.00	0.96	0.98	0.99	0.98	0.99	1.00	0.98	1.00	1.00	715	1276	2666	1.12	3.12	7.33	1.00	1.00	1.00	0.85	1.00	1.00	0.00	0.00	0.06									
GH01CB	0.97	0.99	0.99	0.93	0.97	0.98	0.97	0.99	0.99	0.97	0.99	1.00	715	1276	2666	1.11	3.10	7.31	1.00	1.00	1.00	0.78	1.00	1.00	0.00	0.00	0.09									
GH01CC	0.96	0.98	0.99	0.92	0.96	0.98	0.96	0.98	0.99	0.96	0.99	0.99	715	1276	2666	1.09	3.08	7.29	1.00	1.00	1.00	0.71	1.00	1.00	0.00	0.00	0.11									
GH01CD	0.96	0.99	0.99	0.92	0.97	0.98	0.96	0.99	0.99	0.97	0.99	0.99	715	1276	2666	1.10	3.09	7.29	1.00	1.00	1.00	0.72	1.00	1.00	0.00	0.00	0.12									
GH02AB	0.95	0.98	0.99	0.90	0.96	0.98	0.95	0.98	0.99	0.96	0.99	0.99	482	1017	2056	1.46	4.51	9.75	1.00	1.00	1.00	0.94	1.00	1.00	0.00	0.00	0.03									
GH02AC	0.93	0.98	0.99	0.86	0.95	0.97	0.93	0.98	0.99	0.94	0.98	0.99	482	1017	2056	1.45	4.49	9.72	1.00	1.00	1.00	0.94	1.00	1.00	0.00	0.00	0.04									
GH02AD	0.94	0.98	0.99	0.88	0.96	0.98	0.94	0.98	0.99	0.95	0.98	0.99	482	1017	2056	1.45	4.50	9.73	1.00	1.00	1.00	0.92	1.00	1.00	0.00	0.00	0.05									
GH02BB	0.91	0.96	0.98	0.85	0.93	0.97	0.92	0.97	0.98	0.94	0.98	0.99	303	789	1796	1.88	5.67	16.74	1.00	1.00	1.00	0.85	0.98	1.00	0.00	0.01	0.04									
GH02BC	0.88	0.96	0.98	0.79	0.92	0.95	0.89	0.96	0.98	0.91	0.97	0.98	303	789	1796	1.85	5.58	16.49	1.00	1.00	1.00	0.81	0.98	1.00	0.00	0.01	0.04									
GH02BD	0.88	0.96	0.98	0.81	0.92	0.96	0.89	0.96	0.98	0.91	0.97	0.98	303	789	1796	1.86	5.61	16.44	0.86	1.00	1.00	0.79	0.96	1.00	0.00	0.03	0.06									
GH03AB	0.96	0.99	0.99	0.91	0.97	0.98	0.96	0.99	0.97	0.99	0.99	0.99	482	1017	2056	1.47	4.52	9.76	1.00	1.00	1.00	0.94	1.00	1.00	0.00	0.00	0.03									
GH03AC	0.94	0.98	0.99	0.87	0.96	0.98	0.94	0.98	0.99	0.95	0.99	0.99	482	1017	2056	1.45	4.50	9.73	1.00	1.00	1.00	0.87	1.00	1.00	0.00	0.00	0.05									
GH03BB	0.91	0.97	0.98	0.84	0.94	0.97	0.92	0.97	0.98	0.94	0.98	0.99	303	789	1796	1.89	5.68	16.55	1.00	1.00	1.00	0.90	1.00	1.00	0.00	0.00	0.03									
GH03BC	0.88	0.96	0.98	0.80	0.92	0.96	0.89	0.96	0.98	0.90	0.97	0.98	303	789	1796	1.86	5.61	16.29	1.00	1.00	1.00	0.87	1.00	1.00	0.00	0.00	0.04									
GH04AB	0.96	0.99	0.99	0.92	0.97	0.98	0.96	0.99	0.99	0.97	0.99	0.99	607	1434	2723	1.38	3.46	8.66	1.00	1.00	1.00	0.92	1.00	1.00	0.00	0.00	0.02									
GH04AC	0.95	0.98	0.99	0.89	0.96	0.97	0.95	0.98	0.99	0.96	0.98	0.99	607	1434	2723	1.37	3.44	8.61	1.00	1.00	1.00	0.87	1.00	1.00	0.00	0.00	0.05									
GH04AD	0.96	0.98	0.99	0.90	0.96	0.98	0.96	0.98	0.99	0.96	0.99	0.99	607	1434	2723	1.38	3.45	8.63	0.99	1.00	1.00	0.87	1.00	1.00	0.00	0.00	0.04									
GH04BB	0.93	0.97	0.98	0.88	0.94	0.97	0.93	0.97	0.98	0.94	0.98	0.99	423	989	1961	1.71	4.05	11.31	1.00	1.00	1.00	0.89	1.00	1.00	0.00	0.00	0.04									
GH04BC	0.90	0.96	0.98	0.85	0.92	0.96	0.90	0.96	0.98	0.93	0.97	0.98	423	989	1961	1.66	4.01	11.16	1.00	1.00	1.00	0.85	1.00	1.00	0.00	0.00	0.07									
GH04BD	0.91	0.96	0.98	0.85	0.93	0.96	0.92	0.96	0.98	0.92	0.97	0.98	423	989	1961	1.68	4.03	11.18	0.90	1.00	1.00	0.80	1.00	1.00	0.00	0.00	0.08									
GH05AB	0.96	0.98	0.99	0.91	0.96	0.98	0.96	0.98	0.99	0.96	0.99	0.99	466	980	2305	1.50	4.58	11.49	1.00	1.00	1.00	0.75	1.00	1.00	0.00	0.00	0.09									
GH05AC	0.95	0.98	0.99	0.88	0.95	0.97	0.95	0.98	0.99	0.95	0.98	0.99	466	980	2305	1.49	4.56	11.44	1.00	1.00	1.00	0.71	1.00	1.00	0.00	0.00	0.11									
GH05AD	0.95	0.98	0.99	0.90	0.96	0.98	0.95	0.98	0.99	0.95	0.98	0.99	466	980	2305	1.49	4.57	11.46	0.99	1.00	1.00	0.70	1.00	1.00	0.00	0.00	0.12									
GH05BB	0.90	0.96	0.98	0.83	0.93	0.96	0.90	0.96	0.98	0.93	0.97	0.99	360	676	1475	2.09	6.02	14.06	1.00	1.00	1.00	0.82	1.00	1.00	0.00	0.00	0.07									
GH05BC	0.88	0.95	0.97	0.80	0.91	0.95	0.89	0.95	0.97	0.91	0.96	0.98	360	676	1475	2.04	5.95	13.88	1.00	1.00	1.00	0.74	1.00	1.00	0.00	0.00	0.11									
GH05BD	0.89</																																			

Table B.3 cont. The more important statistics for SLA3 (variant of weighted-average). Robustness trials are highlighted.

	D1: Final depletion 1+		D1: Final depletion F		D8(0): Scaled Final 1+		D8(inc): Scaled Final		D9: min mat fem pop		D10: Relative increase		N9: Need satfn(20)		N9: Need satfn(100)		N12: Mean downstep											
	pop		pop		pop size		1+ pop size		level		1+ pop		pop		satfn(20)		satfn(100)		Mean downstep									
	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median								
GH21AB	0.50	0.51	0.52	0.50	0.53	0.54	0.88	0.98	0.99	0.94	0.98	0.99	482	1017	2056	0.78	2.35	5.11	1.00	1.00	1.00	0.73	1.00	1.00	0.00	0.00	0.10	
GH21AD	0.50	0.51	0.52	0.49	0.52	0.54	0.88	0.97	0.98	0.93	0.98	0.99	482	1017	2056	0.78	2.34	5.08	1.00	1.00	1.00	0.65	1.00	1.00	0.00	0.00	0.13	
GH21BB	0.49	0.52	0.53	0.49	0.54	0.56	0.91	0.97	0.98	0.92	0.97	0.98	303	789	1796	1.02	3.05	9.40	0.92	1.00	1.00	0.77	1.00	1.00	0.00	0.00	0.05	
GH21BD	0.48	0.52	0.53	0.47	0.53	0.56	0.89	0.96	0.98	0.90	0.97	0.98	303	789	1796	1.02	3.01	9.31	0.71	1.00	1.00	0.70	1.00	1.00	0.00	0.00	0.08	
GH22AB	0.29	0.73	0.93	0.24	0.64	0.86	0.86	0.95	0.98	0.88	0.96	0.99	480	986	2056	0.75	3.00	7.58	1.00	1.00	1.00	0.76	1.00	1.00	0.00	0.00	0.07	
GH22AD	0.29	0.72	0.92	0.23	0.63	0.85	0.84	0.94	0.97	0.85	0.95	0.98	480	986	2056	0.72	2.96	7.53	1.00	1.00	1.00	0.71	1.00	1.00	0.00	0.00	0.10	
GH22BB	0.02	0.29	0.67	0.02	0.24	0.59	0.45	0.77	0.92	0.50	0.80	0.93	161	666	1640	0.22	1.54	5.27	0.92	1.00	1.00	0.53	0.97	1.00	0.00	0.02	0.13	
GH22BD	0.02	0.27	0.66	0.02	0.22	0.57	0.37	0.71	0.91	0.41	0.74	0.92	152	652	1640	0.19	1.40	4.84	0.71	1.00	1.00	0.47	0.93	1.00	0.00	0.04	0.16	
GH23AB	0.95	0.98	0.99	0.90	0.96	0.98	0.95	0.98	0.99	0.96	0.99	0.99	482	1017	2056	1.47	4.51	9.75	1.00	1.00	1.00	0.91	1.00	1.00	0.00	0.00	0.03	
GH23AD	0.94	0.98	0.99	0.88	0.96	0.98	0.94	0.98	0.99	0.95	0.98	0.99	482	1017	2056	1.47	4.50	9.73	1.00	1.00	1.00	0.86	1.00	1.00	0.00	0.00	0.06	
GH23BB	0.91	0.96	0.98	0.84	0.93	0.97	0.91	0.97	0.98	0.94	0.98	0.99	303	789	1796	1.88	5.67	16.73	1.00	1.00	1.00	0.85	1.00	1.00	0.00	0.00	0.04	
GH23BD	0.89	0.96	0.98	0.81	0.92	0.96	0.89	0.96	0.98	0.91	0.97	0.98	303	789	1796	1.86	5.60	16.48	0.81	1.00	1.00	0.78	1.00	1.00	0.00	0.00	0.06	
GH24AB	0.96	0.98	0.99	0.92	0.96	0.98	0.96	0.98	0.99	0.96	0.99	0.99	506	1036	2131	1.52	3.92	9.56	1.00	1.00	1.00	0.86	1.00	1.00	0.00	0.00	0.06	
GH24AD	0.95	0.98	0.99	0.90	0.96	0.97	0.95	0.98	0.99	0.95	0.98	0.99	506	1036	2131	1.51	3.90	9.54	0.97	1.00	1.00	0.79	1.00	1.00	0.00	0.00	0.08	
GH24BB	0.92	0.97	0.98	0.84	0.94	0.97	0.92	0.97	0.98	0.93	0.98	0.99	388	851	1857	1.70	4.81	12.91	1.00	1.00	1.00	0.80	1.00	1.00	0.00	0.00	0.06	
GH24BD	0.90	0.96	0.98	0.81	0.92	0.96	0.90	0.96	0.98	0.92	0.97	0.98	388	851	1857	1.68	4.78	12.54	0.88	1.00	1.00	0.74	1.00	1.00	0.00	0.00	0.10	
GH24CB	0.96	0.99	0.99	0.92	0.96	0.98	0.96	0.99	0.99	0.96	0.99	0.99	1.00	672	1203	2235	1.16	2.70	8.57	1.00	1.00	1.00	0.57	1.00	1.00	0.00	0.00	0.11
GH24CD	0.96	0.98	0.99	0.90	0.96	0.98	0.96	0.98	0.99	0.96	0.99	0.99	672	1203	2235	1.16	2.69	8.56	1.00	1.00	1.00	0.51	1.00	1.00	0.00	0.00	0.14	
GH25DB	0.10	0.34	0.77	0.09	0.30	0.74	0.44	0.61	0.85	0.52	0.67	0.86	244	630	1698	1.29	2.02	2.49	0.92	1.00	1.00	0.37	0.71	1.00	0.00	0.09	0.17	
GH25DD	0.09	0.29	0.73	0.08	0.26	0.70	0.39	0.55	0.83	0.43	0.60	0.84	217	618	1698	1.18	1.83	2.23	0.66	1.00	1.00	0.27	0.58	0.96	0.02	0.13	0.20	
GH26AB	0.96	0.98	0.99	0.92	0.97	0.98	0.96	0.98	0.99	0.96	0.99	0.99	439	946	1799	1.84	4.87	12.77	1.00	1.00	1.00	0.96	1.00	1.00	0.00	0.00	0.03	
GH26AD	0.95	0.98	0.99	0.90	0.96	0.98	0.95	0.98	0.99	0.96	0.99	0.99	439	946	1799	1.82	4.85	12.73	0.96	1.00	1.00	0.92	1.00	1.00	0.00	0.00	0.04	
GH26BB	0.91	0.96	0.98	0.85	0.93	0.96	0.91	0.97	0.98	0.94	0.98	0.99	448	809	1335	1.94	5.30	12.02	1.00	1.00	1.00	0.83	1.00	1.00	0.00	0.00	0.05	
GH26BD	0.89	0.96	0.97	0.83	0.92	0.96	0.89	0.96	0.98	0.90	0.97	0.98	448	809	1335	1.91	5.28	11.91	0.87	1.00	1.00	0.73	1.00	1.00	0.00	0.00	0.07	
GH27AB	0.92	1.01	1.11	0.90	0.98	1.05	0.97	0.99	1.00	0.97	0.99	1.00	499	1025	2600	1.46	4.43	10.39	1.00	1.00	1.00	0.91	1.00	1.00	0.00	0.00	0.04	
GH27AD	0.91	1.01	1.11	0.89	0.97	1.04	0.96	0.98	1.00	0.96	0.99	1.00	499	1025	2600	1.46	4.43	10.37	0.98	1.00	1.00	0.87	1.00	1.00	0.00	0.00	0.07	
GH27BB	0.86	1.00	1.11	0.81	0.96	1.06	0.94	0.97	0.99	0.95	0.98	1.00	479	804	1501	1.94	5.76	12.86	1.00	1.00	1.00	0.86	1.00	1.00	0.00	0.00	0.05	
GH27BD	0.85	1.00	1.10	0.80	0.95	1.05	0.92	0.96	0.99	0.94	0.97	0.99	479	804	1501	1.92	5.72	12.84	0.90	1.00	1.00	0.77	1.00	1.00	0.00	0.00	0.07	
GH28AB	0.93	0.99	1.02	0.91	0.97	1.02	0.96	0.98	0.99	0.96	0.99	0.99	479	1063	2246	1.49	3.92	11.37	1.00	1.00	1.00	0.91	1.00	1.00	0.00	0.00	0.06	
GH28AD	0.93	0.99	1.02	0.90	0.96	1.02	0.95	0.98	0.99	0.95	0.99	0.99	479	1063	2246	1.48	3.91	11.34	1.00	1.00	1.00	0.88	1.00	1.00	0.00	0.00	0.07	
GH28BB	0.89	0.97	1.02	0.84	0.93	1.01	0.93	0.97	0.98	0.94	0.98	0.99	369	868	1797	1.60	4.99	14.21	1.00	1.00	1.00	0.87	1.00	1.00	0.00	0.00	0.04	
GH28BD	0.89	0.96	1.01	0.80	0.92	0.99	0.91	0.96	0.98	0.92	0.97	0.98	369	868	1797	1.57	4.95	13.93	0.92	1.00	1.00	0.78	1.00	1.00	0.00	0.00	0.06	

Table B.4. The more important statistics for SLA4 (variant of weighted-average). Robustness trials are highlighted.

	D1: Final depletion 1+ pop				D1: Final depletion F pop				D8(0): Scaled Final 1+ pop size				D8(inc): Scaled Final 1+ pop size				D9: min mat fem pop level			D10:Relative increase 1+ pop			N9: Need satfn(20)			N9: Need satfn(100)			N12: Mean downstep		
	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	
GH01AA	0.97	0.99	0.99	0.94	0.98	0.99	0.97	0.99	0.99	0.98	0.99	1.00	482	1017	2056	1.49	4.54	9.78	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH01AB	0.95	0.98	0.99	0.90	0.96	0.98	0.95	0.98	0.99	0.96	0.99	0.99	482	1017	2056	1.46	4.51	9.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH01AC	0.93	0.98	0.99	0.86	0.95	0.97	0.93	0.98	0.99	0.94	0.98	0.99	482	1017	2056	1.45	4.49	9.72	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH01AD	0.94	0.98	0.99	0.88	0.96	0.98	0.94	0.98	0.99	0.95	0.98	0.99	482	1017	2056	1.45	4.50	9.73	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH01BA	0.92	0.97	0.99	0.87	0.95	0.98	0.94	0.98	0.99	0.96	0.99	0.99	303	789	1796	1.91	5.73	16.86	0.92	1.00	1.00	0.99	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH01BB	0.91	0.96	0.98	0.83	0.93	0.97	0.91	0.97	0.98	0.93	0.98	0.99	303	789	1796	1.88	5.67	16.60	0.92	1.00	1.00	0.98	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH01BC	0.87	0.95	0.98	0.79	0.92	0.95	0.88	0.96	0.98	0.90	0.97	0.98	303	789	1796	1.85	5.58	16.32	0.92	1.00	1.00	0.97	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH01BD	0.88	0.96	0.98	0.79	0.92	0.96	0.88	0.96	0.98	0.90	0.97	0.98	303	789	1796	1.86	5.60	16.20	0.71	1.00	1.00	0.89	1.00	1.00	1.00	0.00	0.00	0.00	0.02	0.00	0.00
GH01CA	0.98	0.99	1.00	0.96	0.98	0.99	0.98	0.99	1.00	0.98	1.00	1.00	715	1276	2666	1.12	3.12	7.33	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH01CB	0.96	0.99	0.99	0.92	0.97	0.98	0.96	0.99	0.97	0.99	1.00	715	1276	2666	1.11	3.10	7.31	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	
GH01CC	0.95	0.98	0.99	0.89	0.96	0.98	0.95	0.98	0.99	0.95	0.99	0.99	715	1276	2666	1.09	3.08	7.29	1.00	1.00	1.00	0.99	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH01CD	0.95	0.99	0.99	0.91	0.97	0.98	0.95	0.99	0.99	0.96	0.99	0.99	715	1276	2666	1.10	3.09	7.29	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH02AB	0.95	0.98	0.99	0.90	0.96	0.98	0.95	0.98	0.99	0.96	0.99	0.99	482	1017	2056	1.46	4.51	9.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH02AC	0.93	0.98	0.99	0.86	0.95	0.97	0.93	0.98	0.99	0.94	0.98	0.99	482	1017	2056	1.45	4.49	9.72	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH02AD	0.94	0.98	0.99	0.88	0.96	0.98	0.94	0.98	0.99	0.95	0.98	0.99	482	1017	2056	1.45	4.50	9.73	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH02BB	0.91	0.96	0.98	0.82	0.93	0.97	0.91	0.97	0.98	0.93	0.98	0.99	303	789	1796	1.88	5.67	16.66	1.00	1.00	0.95	1.00	1.00	1.00	1.00	0.00	0.03	0.00	0.00	0.00	0.03
GH02BC	0.87	0.95	0.98	0.79	0.92	0.95	0.88	0.96	0.98	0.90	0.97	0.98	303	789	1796	1.85	5.58	16.39	1.00	1.00	1.00	0.94	1.00	1.00	1.00	0.00	0.00	0.02	0.00	0.00	0.02
GH02BD	0.88	0.96	0.98	0.79	0.92	0.96	0.88	0.96	0.98	0.90	0.97	0.98	303	789	1796	1.86	5.60	16.32	0.86	1.00	1.00	0.90	1.00	1.00	1.00	0.00	0.00	0.04	0.00	0.00	0.04
GH03AB	0.96	0.99	0.99	0.91	0.97	0.98	0.96	0.99	0.99	0.97	0.99	0.99	482	1017	2056	1.47	4.52	9.76	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH03AC	0.94	0.98	0.99	0.87	0.96	0.98	0.94	0.98	0.99	0.95	0.99	0.99	482	1017	2056	1.45	4.50	9.73	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH03BB	0.91	0.97	0.98	0.84	0.93	0.97	0.92	0.97	0.98	0.94	0.98	0.99	303	789	1796	1.89	5.68	16.55	1.00	1.00	1.00	0.99	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH03BC	0.87	0.96	0.98	0.80	0.92	0.96	0.89	0.96	0.98	0.90	0.97	0.98	303	789	1796	1.86	5.59	16.26	1.00	1.00	1.00	0.99	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH04AB	0.96	0.99	0.99	0.92	0.97	0.98	0.96	0.99	0.99	0.96	0.99	0.99	607	1434	2723	1.35	3.46	8.66	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH04AC	0.94	0.98	0.99	0.88	0.96	0.97	0.94	0.98	0.99	0.94	0.98	0.99	607	1434	2723	1.33	3.44	8.61	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH04AD	0.95	0.98	0.99	0.90	0.96	0.98	0.95	0.98	0.99	0.95	0.99	0.99	607	1434	2723	1.33	3.45	8.63	0.99	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH04BB	0.91	0.97	0.98	0.87	0.94	0.97	0.91	0.97	0.98	0.93	0.98	0.99	423	989	1961	1.71	4.05	11.30	1.00	1.00	1.00	0.99	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH04BC	0.90	0.96	0.98	0.85	0.92	0.96	0.90	0.96	0.98	0.91	0.97	0.98	423	989	1961	1.65	4.01	11.15	1.00	1.00	1.00	0.98	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH04BD	0.90	0.96	0.98	0.84	0.93	0.96	0.90	0.96	0.98	0.91	0.97	0.98	423	989	1961	1.67	4.03	11.16	0.90	1.00	1.00	0.95	1.00	1.00	1.00	0.00	0.00	0.02	0.00	0.00	0.02
GH05AB	0.95	0.98	0.99	0.89	0.96	0.98	0.95	0.98	0.99	0.95	0.99	0.99	466	980	2305	1.50	4.58	11.49	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH05AC	0.93	0.98	0.99	0.88	0.95	0.97	0.93	0.98	0.99	0.93	0.98	0.99	466	980	2305	1.49	4.56	11.44	1.00	1.00	1.00	0.99	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH05AD	0.93	0.98	0.99	0.88	0.96	0.98	0.93	0.98	0.99	0.94	0.98	0.99	466	980	2305	1.49	4.57	11.46	0.99	1.00	1.00	0.97	1.00	1.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
GH05BB	0.90	0.96	0.98	0.83	0.93	0.96	0.90	0.96	0.98	0.92	0.97	0.99	360	676	1475	2.09	6.02	14.04	1.00	1.00	0.97	1.00	1.00	1.00	1.00	0.00	0.00	0.02	0.00	0.00	0.02
GH05BC	0.86	0.95	0.97	0.77	0.90	0.95	0.87	0.95	0.97	0.89	0.96	0.98	360	676	1475	2.04	5.95	13.85	1.00	1.00	0.96	1.00	1.00	1.00	1.00	0.00	0.00	0.02	0.00	0.00	0.02
GH05BD	0.87	0.95	0.97	0.78	0.91	0.95	0.87	0.95	0.97	0.89	0.96	0.98	360	676	1475	2.06	5.97	13.65	0.79	1.00	1.00	0.91	1.00	1.00	1.00	0.00	0.00	0.05	0.00	0.00	0.05
GH																															

Table B.4 cont. The more important statistics for SLA4 (variant of weighted-average). Robustness trials are highlighted.

	D1: Final depletion 1+		D1: Final depletion F		D8(0): Scaled Final 1+		D8(inc): Scaled Final		D9: min mat fem pop		D10: Relative increase		N9: Need satfn(20)		N9: Need satfn(100)		N12: Mean downstep			
	pop		pop		pop size		1+ pop size		level		1+ pop		5% Median		96%		5% Median		96%	
	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median	96%	5%	Median
GH21AB	0.49	0.51	0.52	0.47	0.53	0.54	0.88	0.98	0.99	0.91	0.98	0.99	482	1017	2056	0.75	2.35	5.11	1.00	1.00
GH21AD	0.48	0.51	0.52	0.45	0.52	0.54	0.88	0.97	0.98	0.91	0.97	0.99	482	1017	2056	0.75	2.34	5.08	1.00	1.00
GH21BB	0.49	0.52	0.53	0.48	0.54	0.56	0.91	0.97	0.98	0.92	0.97	0.98	303	789	1796	1.00	3.05	9.39	0.92	1.00
GH21BD	0.48	0.52	0.53	0.46	0.53	0.55	0.89	0.96	0.98	0.90	0.97	0.98	303	789	1796	0.99	3.01	9.28	0.71	1.00
GH22AB	0.27	0.73	0.93	0.24	0.64	0.86	0.81	0.95	0.98	0.82	0.96	0.99	445	977	2056	0.68	3.00	7.58	1.00	1.00
GH22AD	0.26	0.72	0.92	0.23	0.63	0.85	0.76	0.94	0.97	0.77	0.95	0.98	445	977	2056	0.64	2.96	7.53	1.00	1.00
GH22BB	0.02	0.28	0.65	0.02	0.24	0.58	0.24	0.74	0.92	0.28	0.78	0.93	76	652	1640	0.12	1.53	5.22	0.92	1.00
GH22BD	0.01	0.25	0.64	0.01	0.20	0.56	0.22	0.65	0.90	0.25	0.69	0.91	58	634	1640	0.08	1.31	4.78	0.71	1.00
GH23AB	0.95	0.98	0.99	0.90	0.96	0.98	0.95	0.98	0.99	0.96	0.99	0.99	482	1017	2056	1.46	4.51	9.75	1.00	1.00
GH23AD	0.94	0.98	0.99	0.88	0.96	0.98	0.94	0.98	0.99	0.95	0.98	0.99	482	1017	2056	1.45	4.50	9.73	1.00	1.00
GH23BB	0.91	0.96	0.98	0.83	0.93	0.97	0.91	0.97	0.98	0.93	0.98	0.99	303	789	1796	1.88	5.67	16.59	1.00	1.00
GH23BD	0.88	0.96	0.98	0.79	0.92	0.96	0.88	0.96	0.98	0.90	0.97	0.98	303	789	1796	1.86	5.60	16.20	0.81	1.00
GH24AB	0.95	0.98	0.99	0.89	0.96	0.98	0.95	0.98	0.99	0.96	0.99	0.99	506	1036	2131	1.46	3.92	9.56	1.00	1.00
GH24AD	0.94	0.98	0.99	0.86	0.96	0.97	0.94	0.98	0.99	0.94	0.98	0.99	506	1036	2131	1.45	3.90	9.54	0.97	1.00
GH24BB	0.89	0.97	0.98	0.83	0.94	0.97	0.89	0.97	0.98	0.92	0.98	0.99	388	851	1857	1.70	4.81	12.91	1.00	1.00
GH24BD	0.86	0.96	0.98	0.77	0.92	0.96	0.87	0.96	0.98	0.88	0.97	0.98	388	851	1857	1.68	4.78	12.48	0.88	1.00
GH24CB	0.95	0.98	0.99	0.89	0.96	0.98	0.95	0.98	0.99	0.95	0.99	1.00	672	1203	2235	1.16	2.70	8.57	1.00	1.00
GH24CD	0.94	0.98	0.99	0.88	0.96	0.98	0.94	0.98	0.99	0.95	0.99	0.99	672	1203	2235	1.15	2.69	8.56	1.00	1.00
GH25DB	0.06	0.26	0.71	0.05	0.24	0.67	0.26	0.49	0.83	0.30	0.53	0.85	244	630	1698	0.95	1.52	2.36	0.92	1.00
GH25DD	0.05	0.21	0.65	0.05	0.19	0.59	0.21	0.39	0.77	0.24	0.43	0.79	217	607	1698	0.67	1.20	2.02	0.66	1.00
GH26AB	0.96	0.98	0.99	0.92	0.97	0.98	0.96	0.98	0.99	0.96	0.99	0.99	439	946	1799	1.84	4.87	12.77	1.00	1.00
GH26AD	0.95	0.98	0.99	0.90	0.96	0.98	0.95	0.98	0.99	0.95	0.99	0.99	439	946	1799	1.82	4.85	12.73	0.96	1.00
GH26BB	0.87	0.96	0.98	0.77	0.93	0.96	0.90	0.97	0.98	0.91	0.98	0.99	448	809	1335	1.94	5.30	12.02	1.00	1.00
GH26BD	0.84	0.96	0.97	0.72	0.92	0.96	0.85	0.96	0.98	0.88	0.97	0.98	448	809	1335	1.89	5.28	11.91	0.87	1.00
GH27AB	0.92	1.01	1.11	0.90	0.98	1.05	0.97	0.99	1.00	0.97	0.99	1.00	499	1025	2600	1.46	4.43	10.39	1.00	1.00
GH27AD	0.91	1.01	1.10	0.89	0.97	1.04	0.96	0.98	1.00	0.96	0.99	1.00	499	1025	2600	1.46	4.43	10.37	0.98	1.00
GH27BB	0.85	1.00	1.11	0.80	0.96	1.06	0.93	0.97	0.99	0.94	0.98	1.00	479	804	1501	1.92	5.76	12.86	1.00	1.00
GH27BD	0.84	1.00	1.10	0.79	0.95	1.05	0.91	0.96	0.99	0.92	0.97	0.99	479	804	1501	1.88	5.72	12.84	0.90	1.00
GH28AB	0.93	0.99	1.02	0.90	0.97	1.02	0.95	0.98	0.99	0.95	0.99	0.99	479	1063	2246	1.49	3.92	11.37	1.00	1.00
GH28AD	0.92	0.99	1.02	0.88	0.96	1.02	0.93	0.98	0.99	0.94	0.99	0.99	479	1063	2246	1.48	3.91	11.34	1.00	1.00
GH28BB	0.89	0.97	1.02	0.82	0.93	1.01	0.92	0.97	0.98	0.93	0.98	0.99	369	868	1797	1.60	4.99	14.13	1.00	1.00
GH28BD	0.85	0.96	1.01	0.79	0.92	0.99	0.90	0.96	0.98	0.91	0.97	0.98	369	868	1797	1.56	4.95	13.76	0.92	1.00